



ASSA ABLOY

Euro Profile Cylinders



Euro Profile Cylinders

Euro Profile Cylinders

Lockwood range of Euro Profile Fixed Cam Cylinders suitable to be used with Euro Profile Mortice Locks

Application

Cylinders to suit Lockwood V1 Series Euro Profile Mortice Locksets.

Keying

5 pin C4 key profile cylinders – can be keyed to other Lockwood C4 door products

Cylinder and Turn

Part Description:

Cylinder and Thumbturn cylinder, C4 key profile, fixed cam, 65mm length.

Finish

Satin Chrome

Model No: **Article Number:**

CT/30/35 165030-03035-626

Product Description

Lockwood 5 Pin Cylinder and Thumbturn
Cylinder C4 Key Profile - 65mm length.



Double Cylinder

Part Description:

Double Cylinder, C4 key profile, fixed cam, 70mm length.

Finish

Satin Chrome

Model No: **Article Number:**

CC/35/35 165030-03535-626

Product Description

Lockwood 5 Pin Double Cylinder C4 Key Profile 70mm length.



Single Cylinder

Part Description:

Single Cylinder, C4 key profile, fixed cam, 45mm length.

Finish

Satin Chrome

Model No: Article Number:

C/45 165030-00045-626

Product Description

Lockwood 5 Pin Single Cylinder C4 Key Profile - 45mm Length



Privacy Cylinder

Part Description:

Bathroom (Privacy) Cylinder, fixed cam, 70mm length.

Finish

Satin Chrome

Model No: Article Number:

BT/35/35 165030-43535-626

Product Description

Lockwood Bathroom (Privacy) Cylinder 70mm Length



Specification Service

For all Architectural hardware specification assistance refer to your local ASSA ABLOY Sales Office.

A fully comprehensive, obligation free, Architectural Door Hardware specification can be prepared by Architectural Hardware Representatives.

Cleaning

Care should be taken during construction/ refurbishment to ensure that paint, thinners, mortar or cement splashes are carefully removed from locks, furniture and hardware. Removal of these splashes with strong cleaning agents or scourers should be avoided.

Dirt and grime should be regularly removed with a soft damp cloth. A solution of mild soap and water may be required. During cleaning, care should be taken to prevent cleaning solution from entering the cylinder keyway. Surfaces should be dried and possibly lubricated.

Disclaimer

Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the catalogue or arising from the use or application of the information contained herein. This catalogue does not constitute an offer for the sale of any particular product.



ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY Singapore

152 Ubi Avenue 4,
03-02 Armorcoat
Technologies Building,
Singapore 408826

Telephone +65 6880 0000
Facsimile +65 6880 0500

ASSA ABLOY Thailand

5th Floor, 1919
Preecha Group Building,
Pattanakarn Road,
Suanluang, Suanluang,
Bangkok 10250,
Thailand

Telephone +66 2 722 7371
Facsimile +66 2 7227375

ASSA ABLOY Malaysia

No. 14 Jalan Wan Kadir 1,
Taman Tun Dr.
Ismail, 60000
Kuala Lumpur,
Malaysia

Telephone +60 3 7725 3888
Facsimile +60 3 7725 8333

ASSA ABLOY India

B-206, 2nd Floor
Universal Business Park
Off Saki Vihar Road
Kamani Oil Mills Road
Andheri (East) Mumbai
India 400072

Telephone +91 22 40051380
Facsimile +91 22 40051383

ASSA ABLOY Philippines

15/F Unit 1505
World Trade Exchange Bldg
215 Juan Luna Street
Binondo, Manila
Philippines 1006

Telephone +632 2442 890
Facsimile +632 2442 889

Middle East

P.O Box 283280,
Dubai
United Arab Emirates

Telephone
+971 (0) 50 714 0751
Facsimile
+971 (0) 4 421 7349

Export Enquiries

ASSA ABLOY Australia
Export Department
235 Huntingdale Road
Oakleigh, Victoria 3166
Australia

Telephone +61 3 8574 3888