



ASSA ABLOY

Mortice Lock



Contents

Features and Specifications	3
Product Limiting Dimensions	4
Lock Functionality	5 – 6
Specification Service	7
Product Maintenance	7

The range of Lockwood Mortice Locks consists of various functions to meet most security and locking requirements.

Application

The Lockwood Mortice Lock series is suitable for hinged timber, metal and fire doors where applicable.

The innovative mortice lock, features a non handed product that is extremely easy to install and suitable for new and most retrofit applications.

Strength & Durability

The Lockwood Mortice Lock Range has been tested to 500,000 operation cycles.

Product Range

Double throw deadbolt makes this mortice lock versatile for most door opening solutions . A wide selection of door furniture options are available to suit the Lockwood Mortice Lock series.

Refer to Door Furniture Section of your Lockwood Catalogue.

Door Thickness

Door thickness range 30mm to 50mm with the standard screw fixing pack provided.

Handing

Field selectable handing enables installer to easily select the handing during installation.

Fixing / Pitching

Full concealed mortice lock.

Industry standard 72mm pitching centres.

Keying

Standard fixed cam Euro profile Cylinders.

Materials

Latch bolt, deadbolt, faceplate are all made of Stainless Steel.

Standards

Complies to PrEN12209-1 and BS 5872:1980 standards.

Fire tested to GB 7633-1987 standard, CNAFL certified and AS 1530.4-2005 Standard.


Standard Finishes

Satin Stainless Steel – SSS





Limiting Dimensions



Dimensions

A	B	C	D	E	F	G
60mm	89mm	72mm	30mm	166mm	38mm	32mm

H	I	J	K	L	M	N
12mm	35mm	20mm	235mm	20mm	12mm	10mm

6 Locking Functions

- Passage Latch
- Entrance Lockset
- Deadlock Lockset
- Classroom Lockset
- Nightlatch Lockset
- Privacy Lockset


Passage Set

Article No:
100300-67100-630

Finish:
SSS - Satin Stainless Steel


Model No:
V1-1

Description:
V1-1 Lockwood Euro
Mortice Lock 60mm Backset
Passage SSS



Outside
Opened by handle at all times.

Inside
Opened by handle at all times.




Entrance Lockset

Article No:
100300-67000-630

Finish:
SSS - Satin Stainless Steel

Model No:
V1-3

Description:
V1-3 Lockwood Euro
Mortice Lock 60mm Backset
Entrance SSS




Outside
Opened by handle when
unlocked. Lever withdraws
latchbolt.

Key locks or unlocks bolt, key
withdraws latchbolt.

Inside
Opened by handle when
unlocked. Lever withdraws
latchbolt.

Key or turn locks or unlocks bolt,
key or turn withdraws latchbolt.




Deadlock Lockset

Article No:
100300-67900-630

Finish:
SSS - Satin Stainless Steel


Model No:
V1-4

Description:
V1-4 Lockwood Euro
Mortice Lock 60mm Backset
Deadlock SSS



Outside
Bolt is locked or
unlocked by key or turn

Inside
Bolt is locked or
unlocked by key or turn



Classroom Lockset

Article No:

100300-67600-630

Finish:


SSS - Satin Stainless Steel

Model No:

V1-5

Description:

V1-5 Lockwood Euro
Mortice Lock 60mm Backset
Classroom SSS




Outside

Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks outside handle

Inside

Open by handle at all times.



Nightlatch Lockset

Article No:

100300-67800-630

Finish:


SSS - Satin Stainless Steel

Model No:

V1-6

Description:

V1-6 Lockwood Euro
Mortice Lock 60mm Backset
Nightlatch SSS




Outside

Latch is withdrawn by key or turn

Inside

Latch is withdrawn by key in turn



Privacy Lockset

Article No:

100300-67200-630

Finish:


SSS - Satin Stainless Steel

Model No:

V1-9

Description:


V1-9 Lockwood Euro
Mortice Lock 60mm Backset
Privacy SSS



Opened by handle except when bolt is thrown by turn knob from inside. Bolt may be unlocked from outside by coin or screwdriver by operating the slotted emergency button.

Inside

Opened by handle except when bolt is thrown by inside turn knob.



Specification Service

For all Architectural hardware specification assistance refer to your local ASSA ABLOY Sales Office.

A fully comprehensive, obligation free, Architectural Door Hardware specification can be prepared by Architectural Hardware Representatives.

Cleaning

Care should be taken during construction/ refurbishment to ensure that paint, thinners, mortar or cement splashes are carefully removed from locks, furniture and hardware. Removal of these splashes with strong cleaning agents or scourers should be avoided.

Dirt and grime should be regularly removed with a soft damp cloth. A solution of mild soap and water may be required. During cleaning, care should be taken to prevent cleaning solution from entering the cylinder keyway. Surfaces should be dried and possibly lubricated.

Disclaimer

Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the catalogue or arising from the use or application of the information contained herein. This catalogue does not constitute an offer for the sale of any particular product.



ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY Singapore

152 Ubi Avenue 4,
03-02 Armorcoat
Technologies Building,
Singapore 408826

Telephone +65 6880 0000
Facsimile +65 6880 0500

ASSA ABLOY Thailand

5th Floor, 1919
Preecha Group Building,
Pattanakarn Road,
Suanluang, Suanluang,
Bangkok 10250,
Thailand

Telephone +66 2 722 7371
Facsimile +66 2 7227375

ASSA ABLOY Malaysia

No. 14 Jalan Wan Kadir 1,
Taman Tun Dr.
Ismail, 60000
Kuala Lumpur,
Malaysia

Telephone +60 3 7725 3888
Facsimile +60 3 7725 8333

ASSA ABLOY India

B-206, 2nd Floor
Universal Business Park
Off Saki Vihar Road
Kamani Oil Mills Road
Andheri (East) Mumbai
India 400072

Telephone +91 22 40051380
Facsimile +91 22 40051383

ASSA ABLOY Philippines

15/F Unit 1505
World Trade Exchange Bldg
215 Juan Luna Street
Binondo, Manila
Philippines 1006

Telephone +632 2442 890
Facsimile +632 2442 889

Middle East

P.O Box 283280,
Dubai
United Arab Emirates

Telephone
+971 (0) 50 714 0751
Facsimile
+971 (0) 4 421 7349

Export Enquiries

ASSA ABLOY Australia
Export Department
235 Huntingdale Road
Oakleigh, Victoria 3166
Australia

Telephone +61 3 8574 3888